



Loor round

LOOK ROUND 5,5W 36gr 3000K White

Cod: **6360880**



IP20

Protected from solid bodies larger than 12 mm



II

Protection class II



CRI >80

Colour rendering index >80



ReeR warranty

ReeR guarantees the product for a time duration of 3 years



Technical description

Product code: 6360880 | Category: Indoor luminaires | Model: Loor round | Product description: LOOK ROUND 5,5W 36gr 3000K White | Source type: SMD | Number of LEDs: 8 | Color temperature (CCT): 3000K | Color render index (CRI): > 80 | MacAdam (SDCM): < 6 | Lumen output (lm): 450 | Beam angle: 36° | LED Lifetime: 25.000 h | Energy efficiency class: This contains a light source of energy efficiency class (EU2019/2015): F | Diameter (mm): 80 | Height (mm): 24,6 | Recess hole (mm): Ø 65 | Weight (g): 100 | IP rating: IP 20 | Finishing colour: White RAL9010 | Body material: Aluminum | Diffuser material: PC (polycarbonate) | Maximal working temperature: -20° C | Minimal working temperature: +40° C | Nominal power (W): 5,5 | Power factor: 0,5 | Power supply: 230V 50/60Hz | Ballast: Integrated | Insulation class: II | Dimmable: No |

Lighting data

Source type	SMD, SMD	Beam angle	36°
Number of LEDs	8	LED Lifetime	25.000 h
Color temperature (CCT)	3000K	Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): F
Color render index (CRI)	> 80, > 80		
MacAdam (SDCM)	< 6		
Lumen output (lm)	450		


Mechanical data

Diameter (mm)	80	Finishing colour	White RAL9010
Height (mm)	24,6	Body material	Aluminum, Aluminum
Recess hole (mm)	Ø 65	Diffuser material	PC (polycarbonate)
Weight (g)	100	Maximal working temperature	-40° C
IP rating	IP 20	Minimal working temperature	-20° C

Electrical data

Nominal power (W)	5,5	Dimmable	No
Power factor	> 0,5	Quantity per package	1
Power supply	230V 50/60Hz, 230V 50/60Hz	Total quantity per boxing	40
Ballast	Integrated, Integrated		
Insulation class	II		

Photometry



Technical drawing

