



Look square

LOOK SQUARE 5,5 W 100gr 4000K
White

Cod: **6360911**



IP20
Protected from solid bodies larger
than 12 mm



II
Protection class II



CRI >80
Colour rendering index >80



ReeR warranty
ReeR guarantees the product for a
time duration of 3 years



Technical description

Product code: 6360911 | Category: Indoor luminaires | Model: Look square | Product description: LOOK SQUARE 5,5 W 100gr 4000K White | Source type: SMD | Number of LEDs: 8 | Color temperature (CCT): 4000K | Color render index (CRI): > 80 | MacAdam (SDCM): < 6 | Lumen output (lm): 450 | Beam angle: 100° | LED Lifetime: 25.000 h | Energy efficiency class: This contains a light source of energy efficiency class (EU2019/2015): F | Width (mm): 80 | Length (mm): 80 | Height (mm): 24,6 | Recess hole (mm): Ø 65 | Weight (g): 100 | IP rating: IP 20 | Finishing colour: White RAL9010 | Body material: Aluminum | Diffuser material: PC (polycarbonate) | Maximal working temperature: -20° C | Minimal working temperature: +40° C | Nominal power (W): 5,5 | Power factor: 0,5 | Power supply: 230V 50/60Hz | Ballast: Integrated | Insulation class: II | Dimmable: No |

Lighting data

Source type	SMD, SMD	Beam angle	100°
Number of LEDs	8	LED Lifetime	25.000 h
Color temperature (CCT)	4000K	Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): F
Color render index (CRI)	> 80, > 80		
MacAdam (SDCM)	< 6		
Lumen output (lm)	450		


Mechanical data

Width (mm)	80	Finishing colour	White RAL9010
Length (mm)	80, 80	Body material	Aluminum, Aluminum
Height (mm)	24,6	Diffuser material	PC (polycarbonate)
Recess hole (mm)	Ø 65	Maximal working temperature	-40° C
Weight (g)	100	Minimal working temperature	-20° C
IP rating	IP 20		

Electrical data

Nominal power (W)	5,5	Dimmable	No
Power factor	> 0,5	Quantity per package	1
Power supply	230V 50/60Hz, 230V 50/60Hz	Total quantity per boxing	40
Ballast	Integrated, Integrated		
Insulation class	II		

Photometry



Technical drawing

