

Kost EVO 350mm

KOST/EVO 17W 230V IP44 4000K

Cod: **6361112**



IP44

Protected against solid objects larger than 1 mm and splashes



I

Protection class I



CRI >80

Colour rendering index >80



Reer warranty

Reer guarantees the product for a time duration of 3 years



Technical description

Product code: 6361112 | Category: Outdoor luminaires | Model: Kost EVO 350mm | Product description: KOST/EVO 17W 230V IP44 4000K | Source type: SMD | Color temperature (CCT): 4000K | Color render index (CRI): > 80 | MacAdam (SDCM): < 6 | Lumen output (lm): 1400 | Beam angle: 120° | LED Lifetime: 25.000 h | Energy efficiency class: This contains a light source of energy efficiency class (EU2019/2015): E | Diameter (mm): 350 | Height (mm): 63 | Weight (g): 480 | IP rating: IP 44 | IK rating: IK 03 | Finishing colour: White | Body material: Steel | Diffuser material: PS (polystyrene) | Maximal working temperature: -20° C | Minimal working temperature: +40° C | Nominal power (W): 17 | Power factor: > 0,5 | Power supply: 220-240V 50/60Hz | Ballast: Included | Insulation class: I | Dimmable: No |

Lighting data

Source type	SMD, SMD	Beam angle	120°, 120°
Color temperature (CCT)	4000K	LED Lifetime	25.000 h
Color render index (CRI)	> 80, > 80	Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): E
MacAdam (SDCM)	< 6		
Lumen output (lm)	1400		


Mechanical data

Diameter (mm)	350	Finishing colour	White
Height (mm)	63	Body material	Steel
Weight (g)	480	Diffuser material	PS (polystyrene)
IP rating	IP 44	Maximal working temperature	-40° C
IK rating	IK 03	Minimal working temperature	-20° C


Electrical data

Nominal power (W)	17	Dimmable	No
Power factor	> 0,5	Quantity per package	1
Power supply	220/240V 50/60Hz	Total quantity per boxing	5
Ballast	Included, Included		
Insulation class	I, I		

Photometry



Technical drawing



Accessories



Kost accessories 350mm

White RING for KOST/EVO Ø350mm

Cod: 6361123



Kost accessories 350mm

SILVER RING for KOST/EVO Ø350mm

Cod: 6361124