



Unica Evo CCT

Multipower 1200mm

UNICA EVO MULTIPOWER CCT IP65
Max 40W 1200mm

Cod: **6361215**



IP65
Dustproof and protected against water jets



I
Protection class I



CRI >80
Colour rendering index >80



CAM compliant
CAM (Minimum Environmental Criteria) compliant product for indoor and outdoor installation



Multi-Power
Product with different power levels settable via switch



Variable CCT
Selectable colour temperature



Reer warranty
Reer guarantees the product for a time duration of 3 years



Technical description

Waterproof LED with selectable power (Multipower) and variable colour temperature (CCT). IP65 protection rating. Resistant polycarbonate body.

Lighting data

Source type	SMD
Color temperature (CCT)	3000 / 4200 / 6500K
Color render index (CRI)	> 80
MacAdam (SDCM)	< 6
Lumen output (lm)	3080 / 3920 / 4760 / 5600
Beam angle	120°

Photobiological risk	Risk Group 1 (Low Risk)
LED Lifetime	L70 B50 50.000h
Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): D

Mechanical data

Width (mm)	78
Length (mm)	1208
Height (mm)	75
Weight (g)	1300
IP rating	IP 65
IK rating	IK08


Finishing colour	Grey RAL7035
Body material	Polycarbonate
Diffuser material	Polycarbonate
Maximal working temperature	-40° C
Minimal working temperature	-20° C

Electrical data

Nominal power (W)	22 / 28 / 34 / 40
Power factor	> 0,9
Power supply	230V 50/60Hz
Ballast	Included
Insulation class	I

Dimmable	No
Quantity per package	1
Total quantity per boxing	6

Photometry



Technical drawing

