



# Sirio C

PLAFONE SIRIO C 1XGU10 230V IP54  
BLACK

Cod: **6361328**



IP54

Protected  
splashes

against dust and



I

Protection class I



Reer warranty

Reer guarantees the product for a  
time duration of 3 years



## Technical description

Product code: 6361328 | Category: Appliques | Model: Sirio C | Product description: PLAFONE SIRIO C 1XGU10 230V IP54 BLACK | Width (mm): 80 | Length (mm): 80 | Height (mm): 121 | Weight (g): 400 | IP rating: IP54 | IK rating: IK04 | Finishing colour: Black RAL9005 | Body material: Aluminum | Diffuser material: Tempered glass | Maximal working temperature: +45° C | Minimal working temperature: -20° C | Nominal power (W): max 35 | Power supply: 230V 50/60Hz | Ballast: Integrated | Insulation class: I | Quantity per package: 1 |

### Mechanical data

---

|             |      |
|-------------|------|
| Width (mm)  | 80   |
| Length (mm) | 80   |
| Height (mm) | 121  |
| Weight (g)  | 400  |
| IP rating   | IP54 |
| IK rating   | IK04 |

|                             |                              |
|-----------------------------|------------------------------|
| Finishing colour            | Black RAL9005, Black RAL9005 |
| Body material               | Aluminum, Aluminum           |
| Diffuser material           | Tempered glass               |
| Maximal working temperature | +45° C                       |
| Minimal working temperature | -20° C                       |

---

### Electrical data

---

|                   |                        |
|-------------------|------------------------|
| Nominal power (W) | max 35                 |
| Power supply      | 230V 50/60Hz           |
| Ballast           | Integrated, Integrated |
| Insulation class  | I                      |

|                           |    |
|---------------------------|----|
| Quantity per package      | 1  |
| Total quantity per boxing | 12 |

## Technical drawing

---

