



Stand Light

Multi-Light Stand Light Flashlight with 7 Modes

Cod: **6361363**



IP44

Protected against solid objects larger than 1 mm and splashes




Variable CCT

Selectable colour temperature



ReeR warranty

ReeR guarantees the product for a time duration of 3 years



Technical description

Versatile tabletop flashlight with 7 different light modes to adapt to any situation. Ideal as an emergency light, for work, or for camping thanks to its extreme flexibility.

Lighting data

Source type	XPE / COB	Lumen output (lm)	120 / 400
MacAdam (SDCM)	< 1	Beam angle	120°
Ignition time	0.4	LED Lifetime	50.000 h
Color temperature (CCT)	6600 / 6000K	Energy efficiency class	This contains a light source of
Color render index (CRI)	> 80		energy efficiency class
MacAdam (SDCM)	< 6		(EU2019/2015): F

Mechanical data

Width (mm)	54	Finishing colour	Black Grey
Length (mm)	126	Body material	Aluminium
Height (mm)	126	Diffuser material	Polycarbonate
Weight (g)	182	Maximal working	+45° C
IP rating	IP 44	temperature	
IK rating	IK 07	Minimal working temperature	-20° C

Electrical data

Nominal power (W)	5	Total quantity per boxing	48
Power supply	5V DC 1A		
Dimmable	Yes		
Quantity per package	12		

Technical drawing

