



Angle Light

Adjustable Angle Flashlight with 3 Modes

Cod: **6361364**




IP44

Protected against solid objects larger than 1 mm and splashes



ReeR warranty

ReeR guarantees the product for a time duration of 3 years



Technical description

Functional flashlight with a swivel head and three different light modes. Designed to easily reach even the darkest and most difficult corners during precision work.

Lighting data

Source type	XPE / COB
-------------	-----------

MacAdam (SDCM)	< 1
----------------	-----

Ignition time	0.4
---------------	-----

Color temperature (CCT)	6000K
-------------------------	-------

Color render index (CRI)	> 80
--------------------------	------

MacAdam (SDCM)	< 6
----------------	-----

Lumen output (lm)	400 / 60
-------------------	----------

Beam angle	120°
------------	------

LED Lifetime	50.000 h
--------------	----------

Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): F
-------------------------	--

Mechanical data

Width (mm)	34
------------	----

Length (mm)	53
-------------	----

Height (mm)	197
-------------	-----

Weight (g)	180
------------	-----

IP rating	IP 44
-----------	-------

IK rating	IK 05
-----------	-------

Finishing colour	Black
------------------	-------

Body material	Acrylonitrile Butadiene Styrene
---------------	------------------------------------

Diffuser material	Polycarbonate
-------------------	---------------

Maximal working temperature	+45° C
--------------------------------	--------

Minimal working temperature	-20° C
-----------------------------	--------

Electrical data

Nominal power (W)	10
-------------------	----

Power supply	3,7V DC 1A
--------------	------------

Dimmable	Yes
----------	-----

Quantity per package	12
----------------------	----

Total quantity per boxing	48
---------------------------	----

Technical drawing

