

Sottopensile CCT

Under-cabinet light 7W USB-A/C 3CCT

Cod: **6361379**



IP20
Protected from solid bodies larger than 12 mm



I
Protection class I



CRI >80
Colour rendering index >80



Variable CCT
Selectable colour temperature



ReeR warranty
ReeR guarantees the product for a time duration of 3 years



Technical description

Compact under-cabinet light, ideal for precision lighting on work surfaces and in kitchens. It features 3CCT technology, allowing the desired color temperature to be selected during installation, and includes convenient integrated USB ports (Type-A and Type-C) for direct device charging.

Lighting data

Source type	SMD	Beam angle	120°
MacAdam (SDCM)	< 1	Photobiological risk	Risk Group 1 (Low Risk)
Ignition time	0.4	LED Lifetime	L70 B50 50.000h
Color temperature (CCT)	3000 / 4000 / 6000K	Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): C
Color render index (CRI)	> 80		
MacAdam (SDCM)	< 5		
Lumen output (lm)	708 / 770 / 770		


Mechanical data

Width (mm)	74	Finishing colour	White RAL9003
Length (mm)	550	Body material	Steel sheet
Height (mm)	49	Diffuser material	Polycarbonate
Weight (g)	640	Maximal working temperature	+40° C
IP rating	IP 21	Minimal working temperature	-20° C
IK rating	IK 06		

Electrical data

Nominal power (W)	7	Dimmable	No
Power factor	> 0,5	Quantity per package	1
Power supply	230V 50/60Hz	Total quantity per boxing	12
Ballast	Integrated		
Insulation class	I		

Photometry



Technical drawing

