

Sottopensile CCT

Under-cabinet light 14W USB-A/C 3CCT

Cod: **6361381**



IP20
Protected from solid bodies larger than 12 mm



I
Protection class I



CRI >80
Colour rendering index >80



Variable CCT
Selectable colour temperature



ReeR warranty
ReeR guarantees the product for a time duration of 3 years



Technical description

Compact under-cabinet light, ideal for precision lighting on work surfaces and in kitchens. It features 3CCT technology, allowing the desired color temperature to be selected during installation, and includes convenient integrated USB ports (Type-A and Type-C) for direct device charging.

Lighting data

Source type	SMD
MacAdam (SDCM)	< 1
Ignition time	0.4
Color temperature (CCT)	3000 / 4000 / 6000K
Color render index (CRI)	> 80
MacAdam (SDCM)	< 5
Lumen output (lm)	1420 / 1540 / 1540

Beam angle	120°
Photobiological risk	Risk Group 1 (Low Risk)
LED Lifetime	L70 B50 50.000h
Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): C

Mechanical data

Width (mm)	74
Length (mm)	1110
Height (mm)	49
Weight (g)	1140
IP rating	IP 21
IK rating	IK 06


Finishing colour	White RAL9003
Body material	Steel sheet
Diffuser material	Polycarbonate
Maximal working temperature	+40° C
Minimal working temperature	-20° C

Electrical data

Nominal power (W)	14
Power factor	> 0,5
Power supply	230V 50/60Hz
Ballast	Integrated
Insulation class	I

Dimmable	No
Quantity per package	1
Total quantity per boxing	8

Photometry



Technical drawing

