



Force CCT 20W

Force 3CCT 20W 230V IP65

Cod: **6361389**



IP65
Dustproof and protected against water jets



I
Protection class I



CRI >80
Colour rendering index >80



Variable CCT
Selectable colour temperature



ReeR warranty
ReeR guarantees the product for a time duration of 3 years



Lighting data

Source type	SMD	Beam angle	110°
MacAdam (SDCM)	< 1	Photobiological risk	Risk Group 1 (Low Risk), Risk Group 1 (Low Risk)
Ignition time	0.4	LED Lifetime	L70 B50 20.000h
Color temperature (CCT)	3000 / 4000 / 6500K	Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): F
Color render index (CRI)	> 80		
MacAdam (SDCM)	< 6		
Lumen output (lm)	1900 / 2100 / 2000		


Mechanical data

Width (mm)	33	Finishing colour	Black RAL9005, Black RAL9005
Length (mm)	128	Body material	Aluminum, Aluminum
Height (mm)	102	Diffuser material	Tempered glass
Weight (g)	230	Maximal working temperature	+45° C
IP rating	IP 65	Minimal working temperature	-30° C
IK rating	IK 05		

Electrical data

Nominal power (W)	20	Dimmable	No
Power factor	> 0,9	Quantity per package	1
Power supply	230V 50/60Hz	Total quantity per boxing	45
Ballast	Integrated, Integrated		
Insulation class	I		

Photometry



Technical drawing

