



# Filò CCT 8W

Applique FILO 8W CCT BLACK IP65

Cod: **6361399**



**IP65**  
Dustproof and protected against water jets



**I**  
Protection class I



**CRI >90**  
Colour rendering index >90



**CCT VARIABLE**  
Variable CCT  
Selectable colour temperature



**3 ANNI 3 YEARS WARRANTY**  
ReeR warranty  
ReeR guarantees the product for a time duration of 3 years



## Technical description

Outdoor wall light with a minimalist and contemporary design, ideal for enhancing facades, entrances, and pathways. Equipped with CCT technology for color temperature selection and an IP65 rating for high weather resistance.

### Lighting data

Source type	SMD	Beam angle	200°
MacAdam (SDCM)	< 1	Photobiological risk	Risk Group 1 (Low Risk)
Ignition time	0.4	LED Lifetime	L70 B50 50.000h
Color temperature (CCT)	2700 / 3200 / 4000K	Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): E
Color render index (CRI)	> 90		
MacAdam (SDCM)	< 5		
Lumen output (lm)	510 / 561 / 565		

### Mechanical data

Width (mm)	39	Finishing colour	Black RAL9005
Length (mm)	120	Body material	Aluminum
Height (mm)	39	Diffuser material	Tempered glass
Weight (g)	1200	Maximal working temperature	+45° C
IP rating	IP 65	Minimal working temperature	-20° C
IK rating	IK 03		

### Electrical data

Nominal power (W)	8	Dimmable	No
Power factor	> 0,5	Quantity per package	1
Power supply	230V 50/60Hz	Total quantity per boxing	12
Ballast	Integrated		
Insulation class	I		

Technical drawing

