



Strip LED CCT 10M

Strip LED CCT 10M

Cod: **6361424**



IP20
Protected from solid bodies larger than 12 mm



F
Energy efficiency class F



II
Protection class II



CRI >80
Colour rendering index >80



CAM compliant
CAM (Minimum Environmental Criteria) compliant product for indoor and outdoor installation



Variable CCT
Selectable colour temperature



ReeR warranty
ReeR guarantees the product for a time duration of 3 years



Technical description

Ready-to-use 10-meter CCT LED strip, ideal for adjusting the atmosphere by seamlessly switching between warm and cold light using the included remote control. The kit guarantees immediate and safe installation thanks to the reliable 24Vdc wall power supply and the practical quick-connect system.

Lighting data

Source type	SMD
Color temperature (CCT)	2700 / 4000 / 6500K
Color render index (CRI)	> 80
MacAdam (SDCM)	< 6
Lumen output (lm)	1754 / 1593 / 1426
Beam angle	120°

Photobiological risk	Risk Group 1 (Low Risk)
LED Lifetime	25.000 h
Energy efficiency class	F

Mechanical data

Width (mm)	10
Length (mm)	10000
IP rating	IP 20


Maximal working temperature	+45° C
Minimal working temperature	-20° C

Electrical data

Nominal power (W)	23
Power supply	24Vdc
Insulation class	II
Dimmable	Si

Quantity per package	1
Total quantity per boxing	10

Photometry



Technical drawing

