

Strip LED RGBW 10M

Strip LED RGBW 10M

Cod: **6361425**

IP20
Protected from solid bodies larger
than 12 mm



F
Energy efficiency class F



II
Protection class II



CRI >80
Colour rendering index >80



CAM compliant
CAM (Minimum Environmental
Criteria) compliant product for
indoor and outdoor installation



ReeR warranty
ReeR guarantees the product for a
time duration of 3 years



Technical description

Ready-to-use 10-meter CCT LED strip, ideal for adjusting the atmosphere by seamlessly switching between warm and cold light using the included remote control. The kit guarantees immediate and safe installation thanks to the reliable 24Vdc wall power supply and the practical quick-connect system.

Lighting data

Source type	SMD	Photobiological risk	Risk Group 1 (Low Risk)
Color temperature (CCT)	RGBW (3000K)	LED Lifetime	25.000 h
Color render index (CRI)	> 80	Energy efficiency class	F
MacAdam (SDCM)	< 6		
Lumen output (lm)	1754 / 1593 / 1426		
Beam angle	120°		


Mechanical data

Width (mm)	10	Maximal working temperature	+45° C
Length (mm)	10000	Minimal working temperature	-20° C
IP rating	IP 20		

Electrical data

Nominal power (W)	23	Quantity per package	1
Power supply	24Vdc	Total quantity per boxing	10
Insulation class	II		
Dimmable	Si		

Photometry



Technical drawing

