



Giotto CCT

Multipower Ø483

Giotto Multipower CCT Ceiling Light
Night Light Ø483x24mm

Cod: **6361427**



IP20
Protected from solid bodies larger
than 12 mm



II
Protection class II



CRI >80
Colour rendering index >80



Multi-Power
Product with different power levels
settable via switch



Variable CCT
Selectable colour temperature



ReeR warranty
ReeR guarantees the product for a
time duration of 3 years



Technical description

Ultra-flat circular ceiling light with multipower and CCT technology, featuring a practical courtesy night light function. The slim profile and diffused light make it perfect for hallways, stairways, and interior residential spaces.

Lighting data

Source type	SMD	Beam angle	112°
MacAdam (SDCM)	< 1	Photobiological risk	Risk Group 1 (Low Risk), Risk Group 1 (Low Risk)
Ignition time	0.4	LED Lifetime	L70 B50 20.000h
Color temperature (CCT)	3000 / 4000 / 6000K	Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): E
Color render index (CRI)	> 80		
MacAdam (SDCM)	< 6		
Lumen output (lm)	32W = 3600/3800/3600, 36W = 3800/4200/3900, 3W = 270, 40W = 4100/4500/4200		


Mechanical data

Diameter (mm)	483	Finishing colour	White RAL9016
Height (mm)	24	Body material	PC (polycarbonato), PC (polycarbonate)
Weight (g)	1650	Diffuser material	Thermoplastic polymer
IP rating	IP 20	Maximal working temperature	+45° C
IK rating	IK 04	Minimal working temperature	-20° C

Electrical data

Nominal power (W)	32 / 36 / 40	Dimmable	No
Power factor	> 0,9	Quantity per package	1
Power supply	230V 50/60Hz	Total quantity per boxing	5
Ballast	Integrated		
Insulation class	II		

Photometry



Technical drawing

