

Sfacciata

SFACCIATA 7W 4000K IP54 BLACK

Cod: **MES0002**



IP54
Protected against dust and
splashes



I
Protection class I



CRI >90
Colour rendering index >90



ReeR warranty
ReeR guarantees the product for a
time duration of 3 years



Technical description

Product code: MES0002 | Category: Outdoor luminaires | Model: Sfacciata | Product description: SFACCIATA 7W 4000K IP54 BLACK | Color temperature (CCT): 4000K | Color render index (CRI): > 90 | MacAdam (SDCM): < 3 | Lumen output (lm): 380 | Beam angle: 50° | Photobiological risk: RG1 (low risk) | Width (mm): 60 | Length (mm): 150 | Height (mm): 95 | Weight (g): 600 | IP rating: IP 54 | Finishing colour: Black RAL9005 | Type of finishing: Polyester powder coated | Body material: Aluminum | Maximal working temperature: -20° C | Minimal working temperature: +50° C | Nominal power (W): 7 | Power factor: > 0,5 | Power supply: 230V 50/60Hz | Ballast: Integrated | Insulation class: I | Dimmable: No |

Lighting data

Color temperature (CCT)	4000K
Color render index (CRI)	> 90, > 90
MacAdam (SDCM)	< 3, < 3
Lumen output (lm)	380

Beam angle	50°
Photobiological risk	RG1 (low risk), RG1 (low risk)

Mechanical data

Width (mm)	60
Length (mm)	150
Height (mm)	95
Weight (g)	600
IP rating	IP 54


Finishing colour	Black RAL9005, Black RAL9005
Type of finishing	Polyester powder coated, Polyester powder coated
Body material	Aluminum, Aluminum
Maximal working temperature	+50° C
Minimal working temperature	-20° C

Electrical data

Nominal power (W)	7
Power factor	> 0,5
Power supply	230V 50/60Hz, 230V 50/60Hz
Ballast	Integrated, Integrated
Insulation class	I, I

Dimmable	No
Quantity per package	1
Total quantity per boxing	12

Photometry



Technical drawing

