



Focus 30W

Floodlight FOCUS 30W 3000K 24° Black

Cod: **MTK0155**



IP20
Protected from solid bodies larger than 12 mm



I
Protection class I



CRI >90
Colour rendering index >90



CAM compliant
CAM (Minimum Environmental Criteria) compliant product for indoor and outdoor installation



ReeR warranty
ReeR guarantees the product for a time duration of 3 years



Technical description

Compact LED track spotlight designed for precise and controlled accent lighting. Different wattages and beam angles allow you to adapt the light to specific spaces and surfaces. Ideal for retail, showrooms, hospitality, and modern commercial environments.

Lighting data

Source type	COB
MacAdam (SDCM)	< 1
Ignition time	0.4
Color temperature (CCT)	3000K
Color render index (CRI)	> 90
MacAdam (SDCM)	< 4
Lumen output (lm)	2750

Beam angle	24°
Photobiological risk	Risk Group 1 (Low Risk)
LED Lifetime	L90 B10 50.000h
Energy efficiency class	This contains a light source of energy efficiency class (EU2019/2015): G

Mechanical data

Diameter (mm)	8,5
Height (mm)	230
Weight (g)	660
IP rating	IP 20
IK rating	IK 08


Finishing colour	Black RAL9005
Body material	Aluminum
Diffuser material	Polycarbonate
Maximal working temperature	+55° C
Minimal working temperature	-20° C

Electrical data

Nominal power (W)	30
Power factor	> 0,5
Power supply	230V 50/60Hz
Ballast	Integrated
Insulation class	I

Dimmable	No
Quantity per package	1
Total quantity per boxing	20

Photometry



Technical drawing

